TODAY

FIRST HOMEWORK DUE NEXT TIME

SEASONS/PRECESSION RECAP

PHASES OF THE MOON


ECLIPSES

LUNAR, SOLAR


ANCIENT ASTRONOMY

How do we mark the progression of the seasons?

• We define four special points: summer solstice winter solstice spring (vernal) equinox fall (autumnal) equinox



We can recognize solstices and equinoxes by Sun's path across the sky.



Summer solstice: Highest path, rise and set at most extreme north of due east


Winter solstice: Lowest path, rise and set at most extreme south of due east

Equinoxes: Sun rises precisely due east and sets precisely due west.


Path of Sun

Tropic: Latitude where the sun [just] reaches the zenith at noon on the summer solstice

Arctic/Antarctic Circle: Latitude where the sun does not set [just barely] on the summer solstice (like a circumpolar star) nor does it rise on the winter solstice



Seasonal changes are more extreme at high latitudes.




Path of the Sun on the summer solstice at the Arctic Circle


How does the orientation of Earth's axis change with time?

Precession:

Although the axis seems fixed on human time scales, it actually precesses over about 26,000 years.
— Polaris won't always be the North Star.




Earth's axis precesses like the axis of a spinning top.



- Precession: the orientation of Earth's axis slowly changes with time:
 - The tilt remains about 23.5 degrees (so the season pattern is not affected), but Earth has a 26,000 year **precession** cycle that slowly and subtly changes the orientation of the Earth's axis.
 - —The discovery of precession is attributed to the Ancient Greek astronomer **Hipparchus** (c. 280 BC)

Lunar phases



- Lunar phases are a consequence of the Moon's 27.3-day orbit around Earth.
- This is the *sidereal* period how long it takes to complete one orbit.

Phases of Moon

- Half of the Moon is illuminated by the Sun and half is dark.
- We see a changing combination of the bright and dark faces as the Moon orbits Earth.



Phases of the Moon: 29.5-day cycle

Synodic (observed) period

new



crescent



first quarter



gibbous



full



gibbous

last quarter



last qualte



waxing

- Moon visible in afternoon/evening
- Gets "fuller" and rises later each day



- Moon visible in late night/morning
- Gets "less" and sets later each day

We see only one side of the Moon




Synchronous rotation: The Moon rotates exactly once with each orbit.

This is why only one side is visible from Earth.

This is an example of "tidal locking" in which the spin rate of a smaller moon is coupled to its orbital period around a larger planet.


Eclipses

- The Earth and Moon cast shadows.
- When either passes through the other's shadow, we have an **eclipse**.




When can eclipses occur?

- Lunar eclipses can occur only at *full moon* when the earth is between the sun and moon.
- Lunar eclipses can be **penumbral**, **partial**, or **total**.



Penumbral Lunar Eclipse






Total Lunar Eclipse, March 3rd 2007



Newtonhill, Aberdeenshire


© Darren Moody Aberdeen Astronomical Society

Solar Eclipse




When can eclipses occur?

- Solar eclipses can occur only at *new moon* when the moon is between the earth and the sun.
- Solar eclipses can be **partial**, **total**, or **annular**.
- It is a coincidence that the angular size of the sun and moon are approximately equal.



Why don't we have an eclipse at every new and full moon?

- —The Moon's orbit is tilted 5° to ecliptic plane.
- —So we have about two eclipse seasons each year, with a lunar eclipse at full moon and solar eclipse at new moon.



Summary: Two conditions must be met to have an eclipse:

1. It must be a full moon (for a lunar eclipse) or a new moon (for a solar eclipse).

AND

2. The Moon must be at or near one of the two points in its orbit where it crosses the ecliptic plane (its nodes).