

What's out there?

Definitions; Scale

Planet

Dwarf Planet

Moon

Asteroid

Comet

Star

Solar System

Nebula

Galaxy

Universe

Universe \gg Galaxy \gg Star \gg Planet \gg Moons, etc. \gg us.

The universe is incomprehensibly large and perhaps spatially infinite
It is also incredibly ancient, but has a finite age - ^{12-month}
if we scale the 14 Billion years of the Universe to a calendar,
all of human civilization happens in the last minute of the last d

Scientific Method

Hallmarks of Science

1 : Must explain natural phenomena with only
Natural Causes (No MAGIC)

2 : Progress through hypothesis testing

- simplicity preferred : Occam's razor

3 : Scientific hypotheses must be testable
and subject to falsification

Importance of measurement accuracy

A measurement is only as good as its error bar -

A scientific experiment not only measures something,
but it also specifies how well that something
is measured.

Appearance of the Sky

Local sky specified by 2 angles : Altitude
& Direction (Azimuth)

Horizon : plane tangent to observer

Zenith : point on sky directly above observer (\perp to horizon)

Meridian : N-S line passing through zenith.

Divides sky into Eastern (AM) and Western (PM)
halves.

Objects rise in East, cross meridian, & set in West.

↳ Sun, stars, etc.

Angular measures : 360° in circle

$60'$ in 1° 60 arcminutes in 1 degree

$60''$ in $1'$ 60 arcseconds in 1 arcminute

Rising & Setting motions depend on latitude

Stars do not rise \perp to horizon except at the equator

\angle or rising & setting = co-latitude

For a northern hemisphere observer,

- the North Star remains in a [nearly] fixed position

- circumpolar stars [far enough north] never set

e.g. the Big Dipper is always above the horizon in Cleveland

Constellations of the Zodiac gradually appear & disappear
as the Earth orbits the sun.


Latitude & Longitude on Earth project to Declination & Right Ascension on
Solar Day = 24^h . SIDEREAL DAY = $23^h 56^m$ Celestial Sphere

There would still be one day per year if the Earth stopped spinning

SEASONAL VARIATIONS dominated by AXIAL TILT of Earth NOT DISTANCE

Solstices & Equinoxes

Autumnal Equinox : Sept. 23, 2015
tonight!
4:32 AM



Solstice : maximum north/south position of sun on sky - longest/short day of year

Equinox : half-way point between solstices.

- Only day on which northern & southern hemispheres equally illuminated

Ecliptic : - path of sun across sky

Celestial Equator : - extension of Earth's equator onto sky

These planes tipped wrt each other by axial tilt (23.5°)

The sun's extremal N-S positions vary by 47° from solstice to solstice!

Tropic : latitude where the sun can reach the zenith (± 23.5)

[Ant] Arctic : latitude where the sun never sets on the summer solstice

$$|\lambda| > 66.5^\circ$$

Precession : wobbling of the Earth's axis

very slow change of the orientation of the spinning Earth
with respect to the Celestial Sphere (26,000 yr period)

→ Polaris won't be the North Star in a few thousand years

→ Discovered by Hipparchus back in the day (280 B

Lunar Phases

Lunar Eclipse ("Blood Moon")
Sunday evening 9/27

- Phase determined by viewing angle wrt sun
- Consequence of the moon's orbit around the Earth

Siderial Period : 27.3^d

Synodic Period : 29.5^d ← what we observe as a consequence of the combined orbit of the moon around Earth and Earth around the Sun.

Phases :

New	
crescent (waxing)	
first quarter (half illuminated)	}
gibbons (waxing)	
full	
gibbons (waning)	
last quarter	}
crescent (waning)	
repeat	

Synchronous rotation : the moon keeps the same face towards us because it is tidally locked into a 1:1 spin-orbit resonance — it turns once on its axis for every one orbit

Eclipses occur when the shadow of the Earth/Moon is cast on the Moon/Earth

Lunar Eclipse : the moon passes through Earth's shadow

Solar Eclipse : the moon's shadow crosses the surface of the Earth

Eclipses can only occur when the moon is

i) either new or full,

AND ii) at a node of its orbit, which is 5° inclined wrt the ecliptic
Gotta line up!

Eclipses (con.)

Lunar eclipses occur only at full moon

can be

Penumbral

Penumbral passage


Partial

Partial umbra passage

Total

complete umbra coverage

depending on how closely aligned the moon-earth-sun line is



Total Lunar Eclipse coming up Sunday evening 9/27 "Blood moon"

Penumbral eclipse starts shortly after sunset, but not dramatic

Umbra reaches totality at 10:47 PM (starts ~10:11pm)

Takes several hours

Solar Eclipses occur only at New moon

Very rare, because the moon is smaller than the Earth.

Its angular size is about the same as the sun's,


so the tip of the umbra just barely reaches the

surface of the Earth. The path of totality is restricted

to a narrow geographical swath, and lasts only a few minutes.

can be

Partial



Total



path of totality

Annular



depending on where the moon is in its slightly ~~at~~ eccentric orbit

Eclipses (con.)

Eclipses do not occur every new & full moon because near-perfect alignment is required. The moon's orbit is tipped 5° wrt the plane of the ecliptic, so it must additionally be at the point where these planes intersect (the line of nodes)



This alignment happens twice a year
("eclipse seasons")

Even then, the details depend on exactly when & where the Earth - Moon - Sun align as to how much (if any) eclipse occurs.

Ancient Astronomy

Ancient peoples kept a close eye on the sky - the earliest written records display an advanced knowledge of astronomical cycles (e.g., the Babylonians knew about eclipse seasons even if they couldn't predict eclipses).

This implies a long oral tradition before civilization.

All cultures developed calendars; many built elaborate structures marking celestial events & locations (e.g., Stonehenge)

The Greeks even built an analog computer (the Antikythera device)

Eratosthenes made an accurate estimate of the circumference of the Earth (c. 240 BC)

Competing Cosmologies

Geocentric

Ptolemaic

Earth at center

The sun is the source of light in both models

Explains

- Motion of Sun
- Motion of Moon
- Solar and Lunar Eclipses
- Phases of Moon

Heliocentric

Copernican

Sun at center

The sun is the source of light in both models

Explains

- Motion of Sun
- Motion of Moon
- Solar and Lunar Eclipses
- Phases of Moon

Retrograde Motion

Needs epicycles



Consequence of Lapping

nicer

Inferiority of Mercury & Venus



Interior to Earth's Orbit

nicer

Must tie to sun

Predicts

- No parallax ✓
- Venus: crescent phase only X

- Parallax X

- Venus: all phases ✓

Galileo's telescopic discoveries

- Stars in the Milky Way
- Mountains on the Moon
- Sun spots (celestial spheres NOT perfect)
- Rings of Saturn (barely resolved)
- Moons of Jupiter ("Medicean stars")
 - Earth NOT center of all revolution
- Phases of Venus
 - Good test of geocentric hypothesis

Galileo also helped overcome common misconceptions about the nature of motion

- All motion is relative (Galilean relativity)
- Objects fall with the same rate of acceleration irrespective of composition (Equivalence Principle)
 - Horizontal motion is decoupled from vertical acceleration
 - a bullet falls to the ground equally fast whether shot or dropped

Tycho Brahe

- Last great naked eye observer (pre-Galileo)
 - Compiled accurate positions of planets
 - Measured parallax of comet, placing it between planets
 - Could not detect parallax of stars

Kepler's Laws

1. Planetary orbits are ellipses (not just circles)
with the sun at one focus (not center)
2. Equal areas are swept out in equal times
by a line connecting a planet to the sun
(imaginary!) (Conservation of Angular Momentum)
3. $P^2 = a^3$
 P = Period of orbit in years (sidereal period)
 a = semi-major axis of ellipse in AU

Newton's Laws of Motion

1. An object at rest remains at rest and
an object in motion maintains a constant velocity
unless acted upon by an external force.
2. $\vec{F} = m\vec{a}$ a force F applied to a mass m
causes an acceleration \vec{a} .
3. For every action there is an equal and
opposite reaction.

Tides

Gravity seeks to make isolated masses spherical
Hence stars & planets all round

When masses are not isolated, the effects of other masses
distorts the perfect shape from a sphere to an ellipsoid.

e.g., the moon & sun raise tides on the Earth,
because the gravitation attraction towards the moon is
slightly stronger ~~is~~ on the side of the Earth closest
to the moon than on the far side.

Results in 2 high & low tides per day

The strength (amplitude) of tides depends on the
alignment of the sun & moon, hence on the phase of the moon

New + Full moon : Spring tides (strong)

E - M - S aligned

First + Last Quarter moon : Neap tides (weak)

$\begin{smallmatrix} \text{M} \\ \text{E} - \text{S} \end{smallmatrix}$ \perp

Tidal friction is gradually transferring the spin angular
momentum of the Earth to the orbital angular
momentum of the moon. This gradually lengthens
the length of the day and causes the moon to
drift outwards (VERY VERY SLOWLY)

Electromagnetic Radiation

Light is just one form

Radio Microwave Infrared Optical Ultraviolet X-ray γ -ray



- λ Long wavelength
- f low frequency
- low energy

$$\lambda f = c$$

$$E = hf$$

short wavelength
high frequency
high energy

h = Planck's constant

we see by scattered light

Hot objects emit light (thermal radiation, sometimes called "black body" radiation)

e.g., a - hot stove top

- the Sun