



TODAY

- SPECTRA
- THERMAL RADIATION
- WIEN'S LAW
- STEFAN-BOLTZMANN LAW
- KIRCHOFF'S LAWS
- EMISSION AND ABSORPTION
- SPECTRA & COMPOSITION



Spectrum

- Originally, “the range of colors obtained by passing sunlight through a glass prism”
- Quantitatively, the Intensity of electromagnetic radiation as a function of wavelength



Spectrum of an astrophysical object.

Production of light

Why do stars shine?



They're hot!


Thermal Radiation

- Nearly all large, dense objects emit thermal radiation, including stars, planets, and you.
- An object's thermal radiation spectrum depends on only one property: its **temperature**.

Properties of Thermal Radiation

1. Hotter objects emit more light at all frequencies per unit area.
2. Hotter objects emit photons with a higher average energy.

Spectrum:



Wien's Law

- $\lambda_p T = 2.9 \times 10^6 \text{ nm K}$
- λ_p is the wavelength of maximum emission
(in nanometers nano = 10^{-9})
- T is temperature (in degrees Kelvin)

As T increases, wavelength decreases.

So hot object blue; cool objects red.

2 Examples:

- Human body

- $T = 310 \text{ K}$

$$\lambda_p = \frac{2.9 \times 10^6 \text{ nm K}}{310 \text{ K}} = 10,000 \text{ nm}$$


- We radiate in the infrared

- The Sun

- $T = 5,800 \text{ K}$


$$\lambda_p = \frac{2.9 \times 10^6 \text{ nm K}}{5800 \text{ K}} = 500 \text{ nm}$$

- The sun radiates visible light




Properties of Thermal Radiation

Hotter objects emit photons with a higher average energy.



Stefan-Boltzmann Law

$$L = 4\pi R^2 \sigma T^4$$


surface area
of a sphere


- **L** = Luminosity (power radiated)
- **R** = Radius (e.g., of a star)
- **T** = Temperature (of radiating surface, in K)
- **σ** = Stefan-Boltzmann constant
 - just a number to make units work right

$L \propto R^2 T^4$ The absolute brightness of a star depends on its size (**R**) and temperature (**T**).

Properties of Thermal Radiation

Hotter objects emit more light at all frequencies per unit area.

Total luminosity is the area under the curve



Apparent & Absolute brightness


- Apparent brightness
 - What we perceive & measure at the telescope
- Absolute brightness
 - called **Luminosity (L)**
 - Physical power emitted by object
 - Energy radiated per unit time

$$\text{apparent brightness } b = \frac{L}{4\pi d^2}$$

How bright we perceive a star to be depends on both its intrinsic luminosity and its distance from us.

Inverse square law

- The intensity of light diminishes with the inverse square of the distance from the source




Inverse square law

- Just a geometrical effect
 - Light from a point source (e.g., a light bulb or a star) gets spread out in all directions.
 - diminishes by the surface area of the sphere it fills


apparent
brightness

$$b = \frac{L}{4\pi d^2}$$

How bright we perceive a star to be depends on both its intrinsic luminosity and its distance from us.




Three basic types of spectra



Spectra of astrophysical objects are usually combinations of these three basic types.

Continuous Spectrum




- The spectrum of a common (incandescent) light bulb spans all visible wavelengths, without interruption.

Kirchoff's Laws

- Hot, dense objects emit a
 - **continuous spectrum** e.g., a light bulb
 - light of all colors & wavelengths
 - follows thermal distribution
 - obeys Wien's & Steffan-Boltzmann Laws.
- Hot, diffuse gas emits light only at specific wavelengths.
 - **emission line spectrum** e.g., a neon light
- A cool gas obscuring a continuum source will absorb specific wavelengths
 - **absorption line spectrum** e.g., a star

Emission Line Spectrum




- A thin or low-density cloud of gas emits light only at specific wavelengths that depend on its composition and temperature, producing a spectrum with bright emission lines.

Kirchoff's Laws

- Hot, dense objects emit a
 - **continuous spectrum** e.g., a light bulb
 - light of all colors & wavelengths
 - follows thermal distribution
 - obeys Wien's & Steffan-Boltzmann Laws.
- Hot, diffuse gas emits light only at specific wavelengths.
 - **emission line spectrum** e.g., a neon light
- A cool gas obscuring a continuum source will absorb specific wavelengths
 - **absorption line spectrum** e.g., a star

Absorption Line Spectrum




- A cloud of gas between us and a light bulb can absorb light of specific wavelengths, leaving dark absorption lines in the spectrum.

Kirchoff's Laws

- Hot, dense objects emit a
 - **continuous spectrum** e.g., a light bulb
 - light of all colors & wavelengths
 - follows thermal distribution
 - obeys Wien's & Steffan-Boltzmann Laws.
- Hot, diffuse gas emits light only at specific wavelengths.
 - **emission line spectrum** e.g., a neon light
- A cool gas obscuring a continuum source will absorb specific wavelengths
 - **absorption line spectrum** e.g., a star

How does light tell us what things are made of?




Spectrum of the Sun

Atomic Terminology


- **Atomic Number** = # of protons in nucleus
- **Atomic Mass Number** = # of protons + neutrons

Hydrogen (${}^1\text{H}$)




atomic number = 1
atomic mass number = 1
(1 electron)

Helium (${}^4\text{He}$)



atomic number = 2
atomic mass number = 4
(2 electrons)

Carbon (${}^{12}\text{C}$)




atomic number = 6
atomic mass number = 12
(6 electrons)

Periodic Table of the Elements

1 H Hydrogen																	2 He Helium
3 Li Lithium	4 Be Beryllium											5 B Boron	6 C Carbon	7 N Nitrogen	8 O Oxygen	9 F Fluorine	10 Ne Neon
11 Na Sodium	12 Mg Magnesium											13 Al Aluminum	14 Si Silicon	15 P Phosphorus	16 S Sulfur	17 Cl Chlorine	18 Ar Argon
19 K Potassium	20 Ca Calcium	21 Sc Scandium	22 Ti Titanium	23 V Vanadium	24 Cr Chromium	25 Mn Manganese	26 Fe Iron	27 Co Cobalt	28 Ni Nickel	29 Cu Copper	30 Zn Zinc	31 Ga Gallium	32 Ge Germanium	33 As Arsenic	34 Se Selenium	35 Br Bromine	36 Kr Krypton
37 Rb Rubidium	38 Sr Strontium	39 Y Yttrium	40 Zr Zirconium	41 Nb Niobium	42 Mo Molybdenum	43 Tc Technetium	44 Ru Ruthenium	45 Rh Rhodium	46 Pd Palladium	47 Ag Silver	48 Cd Cadmium	49 In Indium	50 Sn Tin	51 Sb Antimony	52 Te Tellurium	53 I Iodine	54 Xe Xenon
55 Cs Cesium	56 Ba Barium	71 Lu Lutetium	72 Hf Hafnium	73 Ta Tantalum	74 W Tungsten	75 Re Rhenium	76 Os Osmium	77 Ir Iridium	78 Pt Platinum	79 Au Gold	80 Hg Mercury	81 Tl Thallium	82 Pb Lead	83 Bi Bismuth	84 Po Polonium	85 At Astatine	86 Rn Radon
87 Fr Francium	88 Ra Radium	103 Lr Lawrencium	104 Rf Rutherfordium	105 Db Dubnium	106 Sg Seaborgium	107 Bh Bohrium	108 Hs Hassium	109 Mt Meitnerium	110 Ds Darmstadtium	111	112	113	114	115	116	117	118
		57 La Lanthanum	58 Ce Cerium	59 Pr Praseodymium	60 Nd Neodymium	61 Pm Promethium	62 Sm Samarium	63 Eu Europium	64 Gd Gadolinium	65 Tb Terbium	66 Dy Dysprosium	67 Ho Holmium	68 Er Erbium	69 Tm Thulium	70 Yb Ytterbium		
		89 Ac Actinium	90 Th Thorium	91 Pa Protactinium	92 U Uranium	93 Np Neptunium	94 Pu Plutonium	95 Am Americium	96 Cm Curium	97 Bk Berkelium	98 Cf Californium	99 Es Einsteinium	100 Fm Fermium	101 Md Mendelevium	102 No Nobelium		


Atomic Terminology

- **Isotope:** same # of protons but different # of neutrons (^4He , ^3He)



- **Molecules:** consist of two or more atoms (H_2O , CO_2)


Chemical Fingerprints



Energy levels of hydrogen


- Each type of atom has a unique set of energy levels.
- Each transition corresponds to a unique photon energy, frequency, and wavelength.

Possible Electron orbits





Allowed Bohr orbits:

- $n = 1$
- $n = 2$
- $n = 3$
- $n = 4$
- etc.



Energy levels of hydrogen


Transitions between orbits release energy (photons)




Energy levels of hydrogen

© 2006 Pearson Education, Inc., publishing as Addison

Chemical Fingerprints





- Downward transitions produce a unique pattern of emission lines.



Chemical Fingerprints

- Atoms can absorb photons with those same energies, so upward transitions produce absorption lines.



(a) Atom absorbs a 656.3-nm photon; absorbed energy causes electron to jump from the $n = 2$ orbit up the $n = 3$ orbit


Chemical Fingerprints



© 2006 Pearson Education, Inc., publishing as Addison Wesley


- Each type of atom has a unique spectral fingerprint.

Chemical Fingerprints



- Observing the fingerprints in a spectrum tells us which kinds of atoms are present.

Example: Solar Spectrum



All the dark regions are absorption lines due to all the elements in the sun's atmosphere. The strengths of the lines tell us about the sun's composition and other physical properties.

Periodic Table of the Elements

1 H Hydrogen																	2 He Helium
3 Li Lithium	4 Be Beryllium											5 B Boron	6 C Carbon	7 N Nitrogen	8 O Oxygen	9 F Fluorine	10 Ne Neon
11 Na Sodium	12 Mg Magnesium											13 Al Aluminum	14 Si Silicon	15 P Phosphorus	16 S Sulfur	17 Cl Chlorine	18 Ar Argon
19 K Potassium	20 Ca Calcium	21 Sc Scandium	22 Ti Titanium	23 V Vanadium	24 Cr Chromium	25 Mn Manganese	26 Fe Iron	27 Co Cobalt	28 Ni Nickel	29 Cu Copper	30 Zn Zinc	31 Ga Gallium	32 Ge Germanium	33 As Arsenic	34 Se Selenium	35 Br Bromine	36 Kr Krypton
37 Rb Rubidium	38 Sr Strontium	39 Y Yttrium	40 Zr Zirconium	41 Nb Niobium	42 Mo Molybdenum	43 Tc Technetium	44 Ru Ruthenium	45 Rh Rhodium	46 Pd Palladium	47 Ag Silver	48 Cd Cadmium	49 In Indium	50 Sn Tin	51 Sb Antimony	52 Te Tellurium	53 I Iodine	54 Xe Xenon
55 Cs Cesium	56 Ba Barium	71 Lu Lutetium	72 Hf Hafnium	73 Ta Tantalum	74 W Tungsten	75 Re Rhenium	76 Os Osmium	77 Ir Iridium	78 Pt Platinum	79 Au Gold	80 Hg Mercury	81 Tl Thallium	82 Pb Lead	83 Bi Bismuth	84 Po Polonium	85 At Astatine	86 Rn Radon
87 Fr Francium	88 Ra Radium	103 Lr Lawrencium	104 Rf Rutherfordium	105 Db Dubnium	106 Sg Seaborgium	107 Bh Bohrium	108 Hs Hassium	109 Mt Meitnerium	110 Ds Darmstadtium	111	112	113	114	115	116	117	118
		57 La Lanthanum	58 Ce Cerium	59 Pr Praseodymium	60 Nd Neodymium	61 Pm Promethium	62 Sm Samarium	63 Eu Europium	64 Gd Gadolinium	65 Tb Terbium	66 Dy Dysprosium	67 Ho Holmium	68 Er Erbium	69 Tm Thulium	70 Yb Ytterbium		
		89 Ac Actinium	90 Th Thorium	91 Pa Protactinium	92 U Uranium	93 Np Neptunium	94 Pu Plutonium	95 Am Americium	96 Cm Curium	97 Bk Berkelium	98 Cf Californium	99 Es Einsteinium	100 Fm Fermium	101 Md Mendelevium	102 No Nobelium		

Solar composition


- 73% Hydrogen
- 25% Helium
- 2% everything else
 - “metals”

Periodic Table of the Elements

1 H Hydrogen	2 He Helium																	3 Li Lithium	4 Be Beryllium											5 B Boron	6 C Carbon	7 N Nitrogen	8 O Oxygen	9 F Fluorine	10 Ne Neon
11 Na Sodium	12 Mg Magnesium											13 Al Aluminum	14 Si Silicon	15 P Phosphorus	16 S Sulfur	17 Cl Chlorine	18 Ar Argon																		
19 K Potassium	20 Ca Calcium	21 Sc Scandium	22 Ti Titanium	23 V Vanadium	24 Cr Chromium	25 Mn Manganese	26 Fe Iron	27 Co Cobalt	28 Ni Nickel	29 Cu Copper	30 Zn Zinc	31 Ga Gallium	32 Ge Germanium	33 As Arsenic	34 Se Selenium	35 Br Bromine	36 Kr Krypton																		
37 Rb Rubidium	38 Sr Strontium	39 Y Yttrium	40 Zr Zirconium	41 Nb Niobium	42 Mo Molybdenum	43 Tc Technetium	44 Ru Ruthenium	45 Rh Rhodium	46 Pd Palladium	47 Ag Silver	48 Cd Cadmium	49 In Indium	50 Sn Tin	51 Sb Antimony	52 Te Tellurium	53 I Iodine	54 Xe Xenon																		
55 Cs Cesium	56 Ba Barium	57 La Lanthanum	58 Ce Cerium	59 Pr Praseodymium	60 Nd Neodymium	61 Pm Promethium	62 Sm Samarium	63 Eu Europium	64 Gd Gadolinium	65 Tb Terbium	66 Dy Dysprosium	67 Ho Holmium	68 Er Erbium	69 Tm Thulium	70 Yb Ytterbium	71 Lu Lutetium	72 Hf Hafnium	73 Ta Tantalum	74 W Tungsten	75 Re Rhenium	76 Os Osmium	77 Ir Iridium	78 Pt Platinum	79 Au Gold	80 Hg Mercury	81 Tl Thallium	82 Pb Lead	83 Bi Bismuth	84 Po Polonium	85 At Astatine	86 Rn Radon				
87 Fr Francium	88 Ra Radium	89 Ac Actinium	90 Th Thorium	91 Pa Protactinium	92 U Uranium	93 Np Neptunium	94 Pu Plutonium	95 Am Americium	96 Cm Curium	97 Bk Berkelium	98 Cf Californium	99 Es Einsteinium	100 Fm Fermium	101 Md Mendelevium	102 No Nobelium	103 Lr Lawrencium	104 Rf Rutherfordium	105 Db Dubnium	106 Sg Seaborgium	107 Bh Bohrium	108 Hs Hassium	109 Mt Meitnerium	110 Ds Darmstadtium	111 Rg Roentgenium	112 Cn Copernicium	113 Nh Nihonium	114 Fl Flerovium	115 Mc Moscovium	116 Lv Livermorium	117 Ts Tennessine	118 Og Oganesson				


- Other stars similar
 - H & He most common stuff in the universe
 - Helium was *discovered* in the spectrum of the sun

Interpreting an Actual Spectrum




- By carefully studying the features in a spectrum, we can learn a great deal about the object that created it.

What is this object?




Reflected Sunlight:
Continuous spectrum of
visible light is like the
Sun's except that some of
the blue light has been
absorbed—object must
look red

What is this object?




Thermal Radiation:
Infrared spectrum peaks
at a wavelength
corresponding to a
temperature of 225 K

What is this object?




Carbon Dioxide: these
Absorption lines are the
fingerprint of CO₂

What is this object?



Ultraviolet Emission Lines:
Indicate a hot emitting gas

What is this object? Mars!



Hot upper atmosphere

Carbon Dioxide in atmosphere

Reflected Sunlight:
Mars is red

Infrared peak
wavelength tells us
 $T = 225 \text{ K}$

We can learn an enormous amount from spectra:
temperature, density, and composition